



Wellness





Whirlpool

Jaquar proudly presents its own range of whirlpools. Created by specialist designers from Europe and made in Jaquar's state-of-the-art manufacturing facilities.

Jaquar Whirlpools bring wellness into your home with great style and panache. Their jets project water in a flowing, circular motion, which offers a wide array of health benefits, including relaxation, improved blood circulation and sore muscle and joint relief. Whatever you desire, whether hot or cold water massages, long relaxing soaks or even chromotherapy, a Jaquar Whirlpool gives you all these and more. Easy to functions flawlessly switch water modes for your benefit.

Advantages


- **Hydromassage:** A gentle jet stream massage bath that stimulates from the surface of the skin onwards. The deep tissue massage stimulates blood vessels and nerve endings, and relaxes your body's entire muscular system.
- **Air Massage:** An infinite number of air bubbles provide a caressing sensation on the skin and allow the water's soothing warmth to penetrate deeper into the body's tissue. This sensational feeling, akin to weightlessness, is accompanied by a deep experience of healing warmth.
- **Chromotherapy:** The use of various coloured lights offers additional therapeutic benefits when used in conjunction with the whirlpools massage. These include:
 - Green:** has harmonious effects on the digestive system.
 - Yellow:** radiates sun-like warmth on the body.
 - Blue:** is calming and soothing and lets you float away in to your dreams.
 - Red:** infuses energy and vitality, giving lost strength to the entire system.

Features

The unbeatable product features are:

- Brilliant surface of sanitary acrylic
- Warm surface
- Antibac® hygienic surface
- Increased chemical resistance
- High break strength
- Long life in use
- Excellent design possibilities
- Easyglide® layer
- Low specific weight
- Recyclable
- Repairable

BATHTUB LAYERS



Special transparent acrylic top layer has a high chemical resistance to : cleaning agents, perfumed foams, household detergents, body care products. It prevents surface defects, crazing/cracking, decoloration and color fading

Special polymer for better mechanical resistance to impact and temperature

Polyurethane layer is recyclable and uses ecological material with high insulation that retains the temperature for a longer period than FRP



For any installation and maintenance related enquiry
please call Customer Care at 18001216808 (Toll Free)
To avail service - register on : www.jaquar.com



Safety Vacuum Breaker

This is one of the important safety features installed in Jaquar whirlpools. In case of blockage in the suction point the motor switches off automatically.



No Bacteria Formation.

Fresh Water Everytime
The water pipes connect via Y-shaped housings, creating a bow which ensures the complete drainage of water. Unpleasant odours and, even worse, bacteria are thus avoided.



Environment Friendly

The pipes are made from special Food Grade PVC. These pipes have an anti bacterial coating on the inner side so that even if some drops of water stay behind after the tub is drained, there won't be any bacteria formation in the water droplets.



3 Tier Test

Each and every Jaquar whirlpool goes through a functional test with hot water after which it is tested on a European test machine for earthing resistance, insulation test and a high voltage test.



Easy To Use

The electronic keypad control activates all the hydromassage functions, to regulate Airpool intensity. All electronic parts can be installed and removed on site, thus making after-sales, what it should ideally be - a service !



Water jets

The effectiveness of the hydromassage is enhanced by the exclusive the water flow can be adjusted in intensity and direction to suit personal needs, in order to gently massage delicate areas.




Airpool jet

The airpool jets provide a gentle and delicate massage on your spine, which increases the sensation of warmth in the body and has beneficial effects on the back. The air bubbles open the insulation layer by oxygenating the body.



PMMA sheet

Jaquar whirlpools are made of the highest grade of PMMA acrylic sheet



Air suction valve

To enable suction of atmospheric air, and distribute it to each and every water jet to boost the jet pressure.

Whirlpools

Opal Prime 1800 x 800 x 470 mm




JWP-WHT-OPALPM180CX

(Combi System)

Rs. 1,72,000


Specifications



JWP-WHT-OPALPM180WX

(Water System)

Rs. 1,41,000



JWA-WHT-OPALPMFPX

(Front Panel)

Rs. 21,500

Note: For one side wall installation 1 front panel & 2 side panels are must.

Arc 1900 x 900 x 470 mm



JWP-WHT-ARC190CX

(Combi System)

Rs. 1,74,000

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad Control



Overflow with drain & filler



Water Pump 1.4 HP



Super slim brass water jets 8



Back Jets-4



0.9 HP Air Blower



Micro brass Air Jets 12



Air Regulator



Disinfection



Headrests



Chromotherapy



Slim Suction Cover

JWP-WHT-ARC190WX

(Water System)

Rs. 1,42,000



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad Control



Overflow with drain & filler



Water Pump 1.4 HP



Super slim brass water jets 8



Back Jets-4



Air Regulator



Disinfection



Headrests



Chromotherapy



Slim Suction Cover

JWA-WHT-ARCFPX | JWA-WHT-ARCSPX

(Front Panel)

Rs. 21,500

(Side Panel)

Rs. 4,200

Note: For one side wall installation 1 front panel & 2 side panels are must.

Kubix Prime 1800 x 1100 x 470 mm



JWP-WHT-KUBIXPM180CX

(Combi System)

Rs. 1,85,000

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8



Back Jets-4



0.9 HP Air Blower



Air Jets 16



Air Regulator



Disinfection



Headrests



Chromotherapy

JWP-WHT-KUBIXPM180WX

(Water System)

Rs. 1,65,000



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8



Back Jets-4



Air Regulator



Disinfection



Headrests



Chromotherapy

JWA-WHT-FP180X | JWA-WHT-SP110X

(Front Panel)

Rs. 10,000

(Side Panel)

Rs. 6,800

D'Arc 1800 x 1100 x 470 mm




JWP-WHT-DARC180CX

(Combi System)

Rs. 1,82,000


Specifications



JWP-WHT-DARC180WX

(Water System)

Rs. 1,59,000



JWA-WHT-FP180X | JWA-WHT-SP110X

(Front Panel)

Rs. 10,000

(Side Panel)

Rs. 6,800

Vignette Prime 1900 x 900 x 470 mm



JWP-WHT-VGNT190CX

(Combi System)

Rs. 1,72,000

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8



Back Jets-4



0.9 HP Air Blower



Air Jets 12



Air Regulator



Disinfection



Headrests



Chromotherapy

JWP-WHT-VGNT190WX

(Water System)

Rs. 1,50,000



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8



Back Jets-4



Air Regulator



Disinfection



Headrests



Chromotherapy

JWA-WHT-VGNTPPPX | JWA-WHT-VGNTSPSX

(Front Panel)

Rs. 10,900

(Side Panel)

Rs. 6,300

Kubix 1800 x 800 x 470 mm




JWP-WHT-KUBIX180CX

(Combi System)

Rs. 1,72,000


Specifications



JWP-WHT-KUBIX180WX

(Water System)

Rs. 1,50,000



JWA-WHT-FP180X | JWA-WHT-SP80X

(Front Panel)

Rs. 10,000

(Side Panel)

Rs. 5,700

Fonte 1800 x 800 x 450 mm




JWP-WHT-FONTE180CX

(Combi System)

Rs. 1,40,000


Specifications



JWP-WHT-FONTE180WX

(Water System)

Rs. 1,19,000



JWA-WHT-FP180X | JWA-WHT-SP80X

(Front Panel)

Rs. 10,000

(Side Panel)

Rs. 5,700

Alive 1800 x 800 x 470 mm




JWP-WHT-ALIVE180CX

(Combi System)

Rs. 1,72,000


Specifications



JWP-WHT-ALIVE180WX

(Water System)

Rs. 1,50,000



JWA-WHT-FP180X | JWA-WHT-SP80X

(Front Panel)

Rs. 10,000

(Side Panel)

Rs. 5,700

Fonte

1700 x 750 x 420 mm
1500 x 750 x 420 mm



JWP-WHT-FONTE170CX / JWP-WHT-FONTE150CX


(Combi System)

Rs. 1,32,000

(Combi System)

Rs. 1,28,000

Specifications




JWP-WHT-FONTE170WX / JWP-WHT-FONTE150WX

(Water System)

Rs. 1,12,000

(Water System)

Rs. 1,08,000



JWA-WHT-FONT170FPX | JWA-WHT-FONT150FPX | JWA-WHT-SP75X

(Front Panel)

Rs. 9,900

(Front Panel)

Rs. 8,900

(Side Panel)

Rs. 5,100

Fonte

1600 x 700 x 420 mm
1600 x 700 x 420 mm



JWP-WHT-FONTE160CX

(Combi System)

Rs. 1,30,000

Specifications



JWP-WHT-FONTE160WX

(Water System)

Rs. 1,10,000



JWA-WHT-FONT160FPX | JWA-WHT-FONT160SPX

(Front Panel)

Rs. 9,500

(Side Panel)

Rs. 5,100

Fonte -R 1500 x 1500 x 470 mm



JWP-WHT-POINT150CX

(Combi System)

Rs. 1,78,000

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8



0.9 HP Air Blower



Air Jets 16



Air Regulator



Disinfection



Chromotherapy

JWP-WHT-POINT150WX

(Water System)

Rs. 1,53,000



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8



Air Regulator



Disinfection



Chromotherapy

Fusion 1400 x 1400 x 450 mm




JWP-WHT-GMI140CX

(Combi System)

Rs. 1,51,000


Specifications



JWP-WHT-GMI140WX

(Water System)

Rs. 1,28,000



JWA-WHT-FUSNCPX

Angular Panel

Rs. 15,200

Whirlpools specification sheet

	Range Product Name	Arc ARC 1900X900	Kubix KUBIX 1800X800	Alive ALIVE 1800X800	D'Arc D'Arc 1800X1100	Vignette Prime 1900X900	Fonte R 1500X1500
	Size	1900X900	1800X800	180X800	1800X1100	1900X900	1500X1500
	Depth	470	470	470	470	470	470
	Material	PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
	Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement
Physical	Water jets	8	8	8	8	8	8
	Slim and flat Water jets	•	•	•	•	•	•
	Air jets	12	12	12	12	12	16
	Back jets	4	4	4	4	4	0
	Feet jets	0	0	0	0	0	0
	Pump water	1.4HP	1.4HP	1.4HP	1.4HP	1.4HP	1.4HP
	Air blower	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp
	Chromotherapy	•	•	•	•	•	•
	White Light	X	X	X	X	X	X
	Headrest	•	•	•	•	•	X
Safety	Overflow with drain & filler	•	•	•	•	•	•
	3 Tier Testing	•	•	•	•	•	•
	Steel Frame	SS202	SS202	SS202	SS202	SS202	SS202
	Sanitization/System Clean	•	•	•	•	•	•
Hygiene	Food Grade Pipe	•	•	•	•	•	•
	Bow shape Pipes	•	•	•	•	•	•
	Level sensor	•	•	•	•	•	•
Control	Self drainage system	•	•	•	•	•	•
	Digital	•	•	•	•	•	•
	Cross	X	X	X	X	X	X

Warranty Table

	Range	Arc	Kubix	Alive	D'Arc	Vignette Prime	Fonte R
Warranty	Product Name	ARC 1900X900	KUBIX 1800X800	ALIVE 1800X800	D'Arc 1800X1100	1900X900	1500X1500
	Body	5	5	5	5	5	5
	Electrical	2	2	2	2	2	2
	Jets	5	5	5	5	5	5

Note: • Symbol indicate that particular feature is available in that product.
X Symbol indicate that particular Feature is not available in that product.

Whirlpools specification sheet

	Range Product Name	Fonte 1800X800	Fusion 1400X1400	Fonte 1500x750	Fonte 1600x750	Fonte 1700x750	Kubix Prime 1800X1100	Opal Prime 1800X800
	Size	1800X800	1400X1400	1500x750	1600x750	1700x750	1800X1100	1800X800
	Depth	450	450	420	420	420	480	470
	Material	PMMA	PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
	Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement
	Water jets	6	6	6	6	6	8	8
	Slim and flat Water jets	•	•	•	•	•	•	•
Physical	Air jets	12	12	12	12	12	16	12
	Back jets	4	4	4	4	4	4	4
	Feet jets	0	0	0	0	0	0	0
	Pump water	1.0HP	1.0HP	1HP	1HP	1HP	1.4HP	1.4HP
	Air blower	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp
	Chromotherapy	•	•	•	•	•	•	•
	White Light	X	X	X	X	X	X	X
	Headrest	•	•	•	•	•	•	•
	Overflow with drain & filler	X	•	X	X	X	•	•
Safety	3 Tier Testing	•	•	•	•	•	•	•
	Steel Frame	SS202	SS202	SS202	SS202	SS202	SS202	SS202
	Sanitazation/System Clean	X	X	X	X	X	•	•
Hygiene	Food Grade Pipe	•	•	•	•	•	•	•
	Bow shape Pipes	•	•	•	•	•	•	•
	Level sensor	•	•	•	•	•	•	•
	Self drainage system	•	•	•	•	•	•	•
Control	Digital	•	•	•	•	•	•	•
	Cross	X	X	X	X	X	X	X

Warranty Table

	Range	Fonte	Fusion	Fonte	Fonte	Fonte	Kubix Prime	Opal Prime
	Product Name	1800X800	1400X1400	Fonte 1500x750	Fonte 1600x750	Fonte 1700x750	Kubix Prime 1800X1100	Opal Prime 1800X800
Warranty	Body	5	5	5	5	5	5	5
	Electrical	2	2	2	2	2	2	2
	Jets	5	5	5	5	5	5	5

Note: • Symbol indicate that particular feature is available in that product.
X Symbol indicate that particular Feature is not available in that product.