Water Heaters



Why Jaquar Water Heaters

Water heaters that give you more.

To ensure that they are worthy of the trust that is placed by customers in every Jaquar product, a whole range of safety, longevity and energy efficiency features have been built in to these water heaters:

1) MORE SAFETY

- Double Safety Thermostat dual overheating control mechanism cuts off power automatically even if primary cut off fails
- Multi-function Safety Valve discharges water and acts as a non-return valve if pressure or temperature exceed preset limits



Double Safety (Thermostat and Thermal Cut-out)



Multi Function Safety Valve



Earth Leakage Circuit Breaker

4) ATTRACTIVE DIGITAL FEATURES*

- Cordless Remote: Wireless remote control for operational ease
- Full Digital Display
- On/Off Timer
- Clock Temperature Setting



Cordless Remote



Digital Controls and Display

2) MORE LIFE

- Superior Quality Glass-lined Inner Tank prevents rust, corrosion and prolongs the life of the inner tank
- Single/Dual Glass-coated Incoloy Heating Elements made of high quality steel for quicker heating and to prevent scale formation

High Quality Glass Lined

*AVAILABLE IN Alaxa plus 20L, Alexa 30L, Erica (Digital) 15-25L, Insta Prime, Versa Digital 40-100L, Heat Pump 200L-500L

5) TRUST OF JAQUAR

 Quality sets Jaquar apart. The high standards of our products have cemented our reputation as the most valued premium brand in the bathing industry

3) MORE SAVINGS

- High Density Insulation CFC-free PUF insulation, with added thickness to minimise heat loss and maximise energy savings
- Cathodic Protection a sacrificial Magnesium Anode protects and saves the tank from electrochemical reactions during water heating

6) UNMATCHED CUSTOMER SERVICE

 Jaquar Water Heaters come with a warranty along with service back-up. Jaquar also offers a Bathroom Maintenance Service for hassle-free bathrooms



Energy Saving High Density PUF Insulation



Cathodic Protection

INSTA GAS



LPG White Colour 6 Litres LPG Rs. 7,650

Product Specifications

Details	Instant Gas
Volume (L)	06
Rated Gas Supply Pressure (Pa)	LPG - 2800
Working pressure (mpa)	0.01-1
Thermal Load (Heat Input-kW)	12
Warranty	2 Years on Burner 1 Year on other components
Product Dimensions (in mm)	W H D 06 Litres 300 440 120

Recommended for Kitchen & Bucket Bath

Available in 6 litres

The perfect Instant Water heater for small families

INSTA



1 litre 3 kw Rs. 3,750 4.5 kw Rs. 4,050 3 litres 3 kw Rs. 4,250 4.5 kw Rs. 4,400

Product Specifications

Details	Insta				
Volume (L)	1/3				
Rated Wattage	3/4.5 kV	V			
Voltage / Frequency (V/Hz)	230V/50)Hz			
Temperature Range	25°C to	75°C			
Working Pressure (Mpa)	6.5 Bar				
Inlet / Outlet Connection (Inch)	1/2				
Inner Container Material	Stainless	s Steel			
Warranty	5 Years	On Tank	(
	2 Years	On Heat	ting Elem	ent	
	2 Years	On Othe	er Parts		
Product Dimensions (in mm)		W	Н	D	
	1Litre	200	330	150	
	3Litre	230	370	200	

Available in 1/3 litres

The perfect Instant Water heater for kitchens

ERICA VERTICAL

(Digital)



15 Litres 25 Litres Rs. 17,100 Rs. 20,300

Product Specifications

Details	Erica Ver	tical (D	igital)	
Volume (L)	15/25			
Rated Wattage	1+2 kW			
Voltage / Frequency (V/Hz)	230V/50Hz	7_		
Temperature Range	25°C to 75	°C		
Working Pressure (Mpa)	0.8			
Inlet / Outlet Connection (Inch)	1/2			
Warranty	7 Years Or	Tank		
	4 Years Or	n Heating	g Element	
	2 Years Or	Other F	Parts	
Product Dimensions (in mm)		W	Н	D
	15 Litre	410	410	334
	25 Litres	470	470	371

Recommended for: Kitchen / Bucket Baths / Overhead Showers

Available in 15/25 litres

The perfect storage water heater for small families

ERICA VERTICAL

(Manual)



6 Litres Rs. 10,100 10 Litres Rs. 11,000 15 Litres Rs. 12,700 25 Litres Rs. 15,500

Product Specifications

Details	Erica Vertical (Manual)
Volume (L)	6/10/15/25
Rated Wattage	2 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years On Tank
	4 Years On Heating Element
	2 Years On Other Parts
Product Dimensions (in mm)	W H D
	6 Litre 300 300 285
	10 Litres 340 340 328
	15 Litres 410 410 336
	25 Litres 470 470 375

Recommended for: Kitchen / Bucket Baths / Overhead Showers

Available in 6/10/15/25 litres

The perfect storage water heater for small families

ELENA VERTICAL

(Manual)



6 Litres 10 Litres 15 Litres 25 Litres Rs. 9,000 Rs. 10,100 Rs. 11,600 Rs. 13,800

Product Specifications

Details	Elena Vertical (Manual)
Volume (L)	6/10/15/25
Rated Wattage	2kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	6 Litres 288 288 260
	10 Litres 328 328 295
	15 Litres 385 385 305
	25 Litres 448 448 345

Available in 6/10/15/25 litres

The perfect storage water heater for small families

Recommended for: Kitchen / Bucket Baths / Overhead Showers

ELENA PRIME VERTICAL (Manual)



6 Litres Rs. 10,200 10 Litres Rs. 11,500 15 Litres Rs. 13,200 25 Litres Rs. 14,100

Product Specifications

Details	Elena Pri	ime (Ma	anual)	
Volume (L)	6/10/15/2	5		
Rated Wattage	2 kW			
Voltage / Frequency (V/Hz)	230V/50H	Z		
Temperature Range	25°C to 75	5°C		
Working Pressure (Mpa)	0.8			
Inlet / Outlet Connection (Inch)	1/2			
Warranty	7 Years O	n Tank		
	4 Years O	n Heatin	g Elemer	nt
	2 Years O	n Other	Parts	
Product Dimensions (in mm)		W	Н	D
	6 Litre	316	316	273
	10 Litre	366	366	285
	15 Litre	402	402	312
	25 Litre	452	452	369

Recommended for: Kitchen / Bucket Baths / Overhead Showers

Available in 6/10/15/25 litres

The perfect storage water heater for small families





Product Specifications

Details	Elena ⁺ Vertical (Manual)
Volume (L)	6/10
Rated Wattage	3kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	6 Litres 288 288 260
	10 Litres 328 328 295

Available in 6/10 litres

The perfect instant storage water heater for small familes

Recommended for: Kitchen / Bucket Baths / Overhead Showers

6 Litres 10 Litres Rs. 9,500 Rs. 11,100

ELENA HORIZONTAL (Manual)



Product Specifications

Details	Elena Horizontal (Manual)
Volume (L)	15/25
Rated Wattage	2Kw
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H
	15 Litres 510 320
	25 Litres 747 320

Available in 15/25 litres

The perfect instant storage water heater for small familes

Available with Inlet / outlet on left hand side (LHS) and right hand side (RHS) Ideal for installation above false ceilings

15 Litres Rs. 10,100 25 Litres Rs. 12,100

ALEXA HORIZONTAL





30 Litres Rs. 26,100

Product Specifications

Details	Alexa Horizontal (Digital)
Volume (L)	30
Rated Wattage	2/3/5kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	30 Litres 718 365 344

Available in 30 litres
The perfect storage water heater for small families

Recommended for Bucket Bath / Overhead Showers

ALEXA PLUS HORIZONTAL (Digital)





20 Litres Rs. 23,700

Product Specifications

Details	Alexa Plus Horizontal (Digital)
Volume (L)	20
Rated Wattage	2/3/5 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	20 Litres 610 340 320

Available in 20 litres

The perfect storage water heater for small families

Recommended for Bucket Bath / Overhead Showers

VERSA HORIZONTAL

(Manual)





40 Litres Rs. 15,000 60 Litres Rs. 17,600 80 Litres Rs. 20,900 100 Litres Rs. 21,700

Product Specifications

Details	Versa Horizontal (Manual)
Volume (L)	40/60/80/100
Rated Wattage	40/60 L - 2 kW
	80/100 L - 3 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	35°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	H W
	40 Litres 400 685
	60 Litres 400 925
	80 Litres 470 895
	100 Litres 470 1065

Available in 40/60/80/100 litres For use with shower panels for bathtubs

Recommended for: Overhead Showers / Shower Panels / Bathtubs

VERSA VERTICAL (Manual)



40 Litres Rs. 15,000 60 Litres Rs. 17,600 80 Litres Rs. 20,900 100 Litres Rs. 21,700

Product Specifications

Details	Versa Vertical (Manual)
Volume (L)	40/60/80/100
Rated Wattage	40/60 L - 2 kW
	80/100 L - 3 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	35°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H
	40 Litres 400 675
	60 Litres 400 900
	80 Litres 470 905
	100 Litres 470 1095

Available in 40/60/80/100 litres
For use with shower panels for bathtubs

Recommended for: Overhead Showers / Shower Panels / Bathtubs

VERSA (Digital)





40 Litres 60 Litres 80 Litres 100 Litres Rs. 18,300 Rs. 21,000 Rs. 23,600 Rs. 25,900

Product Specifications

Details	Versa Horizontal (Digital)			
Volume (L)	40/60/80/100			
Rated Wattage	1/2/3 kW			
Voltage / Frequency (V/Hz)	230V/50Hz			
Temperature Range	35°C to 75°C			
Working Pressure (Mpa)	0.8			
Inlet / Outlet Connection (Inch)	1/2			
Warranty	7 Years on Tank 4 Years on Heating Element			
	2 Years on Other Parts			
Product Dimensions (in mm)	H W			
	40 Litres 400 685			
	60 Litres 400 925			
	80 Litres 470 895			
	100 Litres 470 1065			

Available in 40/60/80/100 litres For use with shower panels for bathtubs

Recommended for: Overhead Showers / Shower Panels / Bathtubs

META (Digital)



6 Litres 10 Litres 15 Litres 25 Litres Rs. 7,700 Rs. 8,350 Rs. 8,800 Rs. 11,100

Product Specifications

Details		Meta (Digital)
Volume (L)		6/10/15/25
Rated Wattage		2 Kw
Voltage / Frequency (V/Hz)		230V / 50Hz
Temperature Range		25°C to 75°C
Working Pressure(Mpa)		0.8
Inlet / Outlet Connection (Inch / mm)		½ " / 12.7mm
Product Dimensions (WxDxH)	6Litres	400x270x290 mm
	10Litres	400x270x290 mm
	15Litres	495x320x340 mm
	25Litres	560x370x390 mm
Warranty		7 Years on Tank
		4 Years on Element
		2 Years on other Parts

Available in 6/10/15/25 litres

The perfect Instant Water heater for kitchens



6 Litres 10 Litres 15 Litres 25 Litres Rs. 7,150 Rs. 7,700 Rs. 8,400 Rs. 9,400

VERNA FLOOR MOUNTING (Manual)



200 Litres 300 Litres 400 Litres 500 Litres Rs. 60,500 Rs. 74,200 Rs. 83,900 Rs. 1,11,000

Product Specifications

Details		Meta (Manual)
Volume (L)		6/10/15/25
Rated Wattage		2 Kw
Voltage / Frequency (V/Hz)		230V / 50Hz
Temperature Range		25°C to 75°C
Working Pressure(Mpa)		0.8
Inlet / Outlet Connection (Inch / mm)		½ " / 12.7mm
Product Dimensions (WxDxH)	6Litres	400x270x290 mm
	10Litres	495x270x290 mm
	15Litres	495x320x340 mm
	25Litres	560x370x390 mm
Warranty		7 Years on Tank
		4 Years on Element
		2 Years on other Parts

Available in 6/10/15/25 litres

The perfect Instant Water heater for kitchens

Product Specifications

Details	Verna Floor Mounted (Manual)			
Volume (L)	200/300/400/500			
Rated Wattage	200/300/400L - 2.5 kW x 2			
	500L - 3.00 kW x 2			
Voltage / Frequency (V/Hz)	230V/50Hz			
Temperature Range	35°C to 75°C			
Working Pressure (Mpa)	1.0			
Inlet / Outlet Connection (Inch)	3/4			
Warranty	3 Years on Tank			
	3 Years on Heating Element			
	3 Years on Other Parts			
Product Dimensions (in mm)	W H			
	200 Litres 540 1575			
	300 Litres 650 1600			
	400 Litres 710 1650			
	500 Litres 710 1999			

Available in 200/300/400/500 litres For centralised hot water solutions

Recommended as the Centralised Heating Solution for Multiple Bathrooms

INTEGRA (Split Heat Pump)



Available in 300/400/500 litres For use in multiple bathrooms with shower panels & bathtubs

INTEGRA-X (Monobloc Heat Pump)



Product Specifications

Details	Integra Split Heat Pump			
Tank Volume (L)	300/400/500			
Rated Heating Capacity (kW)	300/400L - 5.2 500L - 7.2			
Rated Input Power (kW)	300/400L - 1.3 500L - 1.8			
Working Ambient Temperature (Deg C)	-7 ~ 43			
Max Outlet Temperature (Deg C)	55/75			
Required Power Supply (V/Ph/Hz)	220/1/50			
Heating Element (kW	300L - 2.0 kW 400/500L - 4.0 kW			
Refrigerant Type	R410a			
Net Dimension - Heat Pump (mm)	W H D 300/400/500L 780 970 390			
Net Dimension - Water Tank (mm)	W H			
	300L 650 1427 400L 700 1480 500L 700 1850			
Warranty (Yrs)	4 Years on Tank, 2 years on heating element, compressor & Sealed System 1 year on other components			
Maight Heat Dump Not/Orace (I/a)	300/400L 48/65			
Weight - Heat Pump - Net/Gross (Kg)	500L 54/68			
Weight - Water Tank - Net/Gross (Kg)	300L 84/104 400L 105/125 500L 128/148			

Recommended for: the Centralised Heating Solution for Multiple Bathrooms

Product Specifications

Details	Integra-x Monobloc Heat Pump		
Tank Volume (L)	200		
Rated Heating Capacity (kW)	2.60		
Rated Input Power (kW)	0.63		
Working Ambient Temperature (Deg C)	-7 ~ 43		
Max Outlet Temperature (Deg C)	55/75		
Required Power Supply (V/Ph/Hz)	220/1/50		
Heating Element (kW)	2.0 kW		
Refrigerant Type	R134a		
Warranty	4 years on Tank,		
	2 years on heating element and compressor		
	with Sealed System 1 year on other components		
11 . 12	'		
Net Dimension (mm)	W H D		
	200L 620 1632		
Weight - Net/ Gross (Kg)	200L 106/118		

Available in 200 litres

For use in multiple bathrooms with shower panels & bathtubs

Recommended for: the Centralised Heating Solution for Multiple Bathrooms

200 Litres Rs. 1,85,000

INTEGRA-X (Split Heat Pump)



200 Litres Rs. 1,85,000 300 Litres Rs. 2,10,000 400 Litres Rs. 2,71,000 500 Litres Rs. 3,22,000

Product Specifications

Details	Integra-X Split Heat Pump			
Tank Volume (L)	200/300/400/500			
Rated Heating Capacity (kW)	200 - 3.6/300L - 5.4			
	400 - 8.7/500L - 12.0			
Rated Input Power (kW)	200 - 0.87/300L - 1.3			
	400 - 2.15/500L - 2.95			
Working Ambient Temperature (Deg C)	-7 ~ 43			
Max Outlet Temperature (Deg C)	60/75			
Required Power Supply (V/Ph/Hz)	220/1/50			
Heating Element (kW)	200/300L - 3.0			
	400/500L - 4.0			
Refrigerant Type	R410a			
Net Dimension - Heat Pump (mm)		W	Н	D
	200L/300L	385	550	936
	400L/500L	420	800	986
Net Dimension - Water Tank (mm)		W	Н	
, ,	200L	515	1730	
	300L	685	1360	
	400L	685	1740	
	500L	733	1820	
Warranty	4 Years on Tank.			
3 Years on heating eleme		ent and	compressor	
	1 Year on other c	-		·
Weight - Heat Pump - Net/Gross (Kg)	200L	55/5	9	
, , , , ,	300L 60/65			
	400L	80/8	7	
	500L	96/1	04	
Weight - Water Tank - Net/Gross (Kg)	200L	78/8	4	
	300L	88/9	5	
	400L	99/1	08	
	500L	126/	136	

Available in 200/300/400/500 litres For use in multiple bathrooms with shower panels & bathtubs

Recommended for: the Centralised Heating Solution for Multiple Bathrooms



