

WELDRITE®

- International Quality
- Meets ASTM • US Technology
- Value for Money



TEFLON TAPE

PIPE SOLVENTS

BALL VALVE



CLEANERS



OTHER PRODUCTS

TECHNOLOGY from **BLUESTREAM USA**

www.weldrite.in

PRICELIST W.E.F 1ST FEB 2023

WELDRITE® is a Registered Trademark of Sindhucon Products & Services Pvt. Ltd.

CPVC SOLVENT CEMENTS

PRODUCT	SIZE	MRP	DP	Inner Carton	Master Carton
---------	------	-----	----	--------------	---------------


- Meets all international standards including ASTM F-493 & D-2846.
- Suitable for Hot water upto 82°C (180°F.)
- 2 years shelf life on all CPVC solvents

CPVC MEDIUM YELLOW SOLVENT CEMENT


upto 4" pipe

- Medium Body & Fast Setting
- For all CPVC pipes upto 4" dia
- Comparable to Flowguard* (*trademark of Lubrizol)

Tubes

	12ml	31	23	36	288
	25ml	60	43	24	192
	50ml	108	67	12	240

Tins

	50ml	150	87	48	192
	59ml	183	99	48	192
	100ml	228	139	24	144
	118ml	259	154	24	144
	200ml	378	233	24	96
	237ml	448	266	24	96
	473ml	794	486	24	48
	946ml	1422	887	12	24


Widest range of CPVC Solvent Cements sold in India. We also make CPVC spray Solvent Cement. (only one in India) & Orange CPVC Solvent Cement

PRODUCT	SIZE	MRP	DP	Inner Carton	Master Carton
---------	------	-----	----	--------------	---------------

CPVC HEAVY DUTY GRAY SOLVENT CEMENT upto 12" pipe

- For water & Non-water Fluids like Hypochlorite etc.
- Heavy Body & Medium Setting
- For all CPVC/UPVC pipes upto 12" dia
- Use of Primer is recommended




	118ml	299	208	24	144
	237ml	564	346	24	96
	473ml	1020	626	24	48
	946ml	1895	1179	12	24

PURPLE / CLEAR PRIMER

- For CPVC,UPVC,PVC Drainage, SWR, Potable water pipes, pressure pipe, DMW & Hot water
- Also for non-water fluid



	237ml	345	226	24	96
	473ml	513	309	24	48
	946ml	926	568	12	24

UPVC SOLVENT CEMENTS

PRODUCT	SIZE	MRP	DP	Inner Carton	Master Carton
---------	------	-----	----	--------------	---------------

- Meets all international standards including ASTM D-2564.
- Suitable for all UPVC pipes & fittings
- 2 years shelf life on all UPVC solvents.

UPVC MEDIUM (Clear/Blue) SOLVENT CEMENT upto 4" pipe

- Medium body, fast setting with high strength formula
- Clear/Blue UPVC solvent for Sch.40 through 4" dia & Sch. 80 through 2" dia interference fit.

Tubes

	10ml	28	20	36	288
	25ml	37	25	24	192
	50ml	78	50	12	240

Tins

	50ml	120	66	48	192
	59ml	140	73	48	192
	100ml	190	97	24	144
	118ml	205	105	24	144
	200ml	272	163	24	96
	237ml	373	175	24	96
	473ml	564	335	24	48
	946ml	1020	625	12	24

UPVC HD CLEAR / BLUE SOLVENT CEMENT upto 6" pipe

- Heavy bodied, Medium setting UPVC Solvent
- For all classes & Sch through 6" dia interference fit.

Tubes

	25ml	63	41	24	192
	50ml	90	55	12	240

Tins

	59ml	149	83	48	192
	118ml	220	120	24	144
	237ml	410	206	24	96
	473ml	586	369	24	48
	946ml	1085	689	12	24

UPVC EXTRA HD CLEAR SOLVENT CEMENT upto 12" pipe

- Heavy bodied, Medium setting UPVC Solvent
- For all classes & Sch through 12" dia interference fit.
- Use of Primer is recommended

	118ml	226	134	24	144
	237ml	390	217	24	96
	473ml	683	399	24	48
	946ml	1208	699	12	24

UPVC INDUSTRIAL GRAY SOLVENT CEMENT upto 24" pipe

	118ml	270	174	24	144
	237ml	480	304	24	96
	473ml	850	560	24	48
	946ml	1560	1006	12	24

PVC SOLVENT CEMENTS

PRODUCT	SIZE	MRP	DP	Inner Carton	Master Carton
---------	------	-----	----	--------------	---------------

THREE GRADES

- PVC Regular - for normal application.
 - PVC Plus - 90 CPS viscosity + premium bottle
 - PVC Premium - Thicker & stronger for higher dia pipe.
- Recommended for SWR, Drainage, Conduit & DWV for pipes with interference fit.
 - Also for PVC doors & Windows.

PVC REGULAR CLEAR SOLVENT CEMENT upto 160mm pipe

- For use on all Schedules & classes PVC pipe & fitting upto 6" diameter
- Regular Body / Slow Set

Tubes

	30ml	31	24	24	384
	50ml	45	30	12	240

Tins

	50ml	74	47	48	192
	100ml	98	66	24	192
	200ml	178	113	24	192
	250ml	192	122	24	96
	500ml	325	209	24	48
	1000ml	605	340	12	24

HDPE Bottles / Jars / Carboys (12 months expiry)

	100ml	78	49	24	192
	200ml	172	91	12	96
	250ml	178	107	12	96
	500ml	290	175	12	48
	1000ml	535	319	12	24
	5000ml	2298	1390	-	6
	20 / 50 Litres available on Request				

PVC PLUS CLEAR SOLVENT CEMENT upto 160mm pipe

- For use on all schedules & classes PVC pipes & fittings upto 6" diameter
- Minimum 90cps viscosity, premium bottle, regular body/ slow set

	100ml	84	55	24	192
	250ml	189	118	24	96
	500ml	310	191	24	48
	1000ml	557	335	12	24
	5000ml	2468	1491	-	6

PVC HIGH PRESSURE SOLVENT CEMENT upto 160mm pipe

- Higher strength, high pressure formula medium bodied, slow setting High pressure solvent cement.
- Thick formula fills gaps in large dia pipe & loose fitting joints

	50ml	78	50	48	192
	100ml	108	74	24	192
	200ml	180	116	24	192
	250ml	209	131	24	96
	500ml	350	225	24	48
	1000ml	635	399	12	24
	5000ml	2780	1730	-	6





OTHER PLUMBING PRODUCTS

PRODUCT	SIZE	MRP	DP	Inner Carton	Master Carton
---------	------	-----	----	--------------	---------------


TEFLON TAPES

• Recommended for Portable water, Pressure Pipe, Conduit & DMV. Also for various other uses like Electrical, Sanitary installation, Gas installation, etc.


SPECTRUM - WHITE TAPES

	5m x 12mm	20	11	250	1000
	10m x 12mm	30	18	250	1000
	12m x 12mm	40	22	250	1000
	10m x 19mm	50	23	250	1000

SPECTRUM - YELLOW TAPE

	10m x 12mm	30	18	250	1000
---	------------	----	----	-----	------

JADE - WHITE TAPE

	10m x 12mm	27	15	250	1000
---	------------	----	----	-----	------

CPVC & UPVC BALL VALVE

WITH BOX

Prices will be same for Regular & Long handle ball valves in each variant



CPVC

UPVC

SIZE	PKG PCS	Single Union Regular / Long Handle		Single Union Regular / Long Handle		Compact Regular / Long Handle	
		MRP	DP	MRP	DP	MRP	DP
		1/2"	100	On request	On request	95	78
3/4"	100	165	127	145	101	112	71
1"	100	271	203	220	152	185	96
1 1/4"	100	500	400	365	219	255	160
1 1/2"	48	920	649	524	315	351	232
2"	24	1350	971	725	551	595	362
2 1/2"	-	On request					
3"	-	On request					

WITHOUT BOX

Prices will be same for Regular & Long handle ball valves in each variant




CPVC

UPVC

SIZE	PKG PCS	Single Union Regular / Long Handle		Single Union Regular / Long Handle		Compact Regular / Long Handle	
		MRP	DP	MRP	DP	MRP	DP
		1/2"	100	On request	On request	95	59
3/4"	100	165	109	145	75	112	58
1"	100	271	170	220	119	185	78
1 1/4"	100	500	353	365	170	255	126
1 1/2"	48	920	560	524	252	351	199
2"	24	1350	875	725	444	595	315
2 1/2"	-	On request					
3"	-	On request					

RUBBER LUBRICANT

• For simple, quick, watertight, jointing of PVC soil, waste water and rain water (SWR) drainage fittings and pipes.

Jar 	50g	32	21	60	240
	100g	50	34	48	192
	250g	99	69	24	96
	500g	170	119	12	48
	1000g	290	215	6	24


ADHESIVES

PRODUCT	SIZE	MRP	DP	Inner Carton	Master Carton
---------	------	-----	----	--------------	---------------


STANDARD EPOXY RESIN + HARDNER

• Bonds anything to anything like metals, ceramic, marble, granite, plastic, glass, wood, leather rubber.
• Strong bond versatile no shrinking after curing prevents sagging.

Tubes

	15g (8R+7H)	70	48	30	300
	36g (20R+16H)	140	84	12	192
	90g (50R+40H)	250	132	8	96
	180g (100R+80gH)	405	224	6	72


Jars

	90g (50R+40H)	240	132	8	96
	450g (250R+200H)	807	460	6	24
	900g (500R+400H)	1050	910	4	16
	1.8kg (1kg R+800gH)	1765	1696	3	12

INSTANT GLUE - CYANOACRYLATE


801GP General Purpose Premium

• Premium cyanoacrylate adhesive with low viscosity and fast setting.
• Widely used for bonding a variety of substrates
• Ideally suited for bonding plastics and rubbers to themselves or various combinations.

	10g	50	37	32	256
	20g	90	60	32	256
	50g	150	130	12	96


W501

• General-purpose low viscosity, cyanoacrylate adhesive.

	10g	43	35	32	256
	20g	75	54	32	256
	50g	130	119	12	96

PVC BOND

• High viscosity glue with heat & water-resistance properties.
• No mixing needed. Easy application without clamping.
• Ideal for PVC Foam Board, PVC Skirting Moulding, MDF, PVC/WPC Board, Wood, Rubber, Mica, Lamination.


	20g	110	68	32	256
	50g	250	136	12	96

Our Top Selling Cleaners


DRAIN CLEANER










	50g Pouch	30	21	54	540
---	-----------	----	----	----	-----



TAP & METAL CLEANER



	125ml	231	168	1	72
	250ml	347	264	1	72
	500ml	578	462	1	8


HEAVY DUTY TILE CLEANER

	500ml	120	114	20	40
	1 liter	220	206	6	24
	5 liter	735	636	-	6

PRODUCT	SIZE	MRP	DP	Inner Carton	Master Carton
POPULAR WATERPROOFING CHEMICALS (5 litre, 25 litre, 35 litre, 50 litre, 200 litre & 220 litre also available on request.)					
AWE - ADVANCED WATERPROOFING EMULSION					
	1 Litre	780	745	12	24
	5 Litre	3500	3364	NA	1
SBR LATEX					
	1 Litre	434	384	12	24
	20 Litre	7634	6759	NA	1
AWL - ADVANCED WATERPROOFING LIQUID					
	1 Litre	356	315	12	24
	20 Litre	6074	5379	NA	1
LATEX AR					
	1 Litre	275	244	12	24
	20 Litre	4464	3953	NA	1
WLS - WATERPROOFING LIQUID SOLUTION					
	1 Litre	185	181	12	24
	20 Litre	2666	2518	NA	1
PAINT PRODUCT					
NC THINNER					
<ul style="list-style-type: none"> • For use in Paints and laquers • Reduces viscosity for uniform application 					
	1 Litre	383	210	12	24
	5 Litre	1480	849	1	6
	20 Litre	5485	3068	NA	1
GP THINNER					
<ul style="list-style-type: none"> • Quickly reduces the consistency of lacquer/paint to the required degree. • Can be used as cleaning solvent for equipment and tools. 					
	1 Litre	503	268	12	24
	5 Litre	2070	1179	1	6
	20 Litre	7855	4557	NA	1
EPOXY & PU THINNER ALSO AVAILABLE					
INTERIOR & EXTERIOR PRIMER					
	1 Litre	490	227	12	24
	20 Litre	7640	3546	NA	1
SUPRACOAT					
<ul style="list-style-type: none"> • Clear coat over any paint. Gives it a sheen, protect from water & stains doubles the life. Very good for common areas like staircase, lobby etc. 					
	500ml	780	652	24	48
	1ltr	1500	1270	12	24

TOTAL RUST SOLUTION			
<ul style="list-style-type: none"> • Comprehensive solution for Rust that can be used by anybody without any training or technical expertise. 			
AS EASY AS 1...2...3... !!			
<ul style="list-style-type: none"> • CLEAN the surface with METAL CLEANER • CONVERT Rust to black with RUST CONVERTER • PROTECT from Rust with ADVANCED RUST PROTECTOR 			
Free items in the pack : 2 scrubbers, 2 brushes, 1 wire brush, 1 cleaning cloth, 1 carry bag, 1 pen and 1 notepad			
PRODUCT	SIZE	MRP	DP
	500ml pack	1499	1180
Contains 250ml Metal Cleaner + 125ml Rust Converter + 125ml Rust Protector			
	1500ml pack	2999	1835
Contains 500ml Metal Cleaner + 500ml Rust Converter + 500ml Rust Protector			

MP80					
<ul style="list-style-type: none"> • Comparable to WD40* <p>(WD40 is trademark of WD40 Corporation USA & Pidilite Industries Ltd.)</p> <p>Lubricates: Sticky Drawers & Rusty Locks, Shovel & Metal slides, Guitar strings & Squeaky hinges, Stuck Zippers or Stuck Glassware.</p>					
PRODUCT	SIZE	MRP	DP	Inner Carton	Master Carton
	55ml	99	84	40	160
	100ml	149	126	20	80
	425ml	399	320	6	24
WOOD POLISH					
<ul style="list-style-type: none"> • Advanced Modified Polyurethane Formulation provides excellent waterproofing & protection against fungus and mold. • Finish of wooden products will be enhanced & will get a mild sheen. 					
	100ml	250	180	24	144
	250ml	499	346	24	96
	500ml	780	652	24	48
	1000ml	1500	1270	12	24

BLACK SEALANT					
<ul style="list-style-type: none"> • Non-hardening shellac-based compound for Hot & Cold water pipeline. • Good resistance to corrosion & heat (-20 to 120°C). • Fast drying and spreads evenly & fills gaps effectively. • Hydrostatic pressure – 20 Kg/cm2 (bar). • Pipe joints are 100% leakproof. • Safe for domestic plumbing & pipes can be put to use fast. • Suitable for Hot & Cold water pipeline. 					
	25g	25	17	20	480
	50g	40	26	20	320
	100g	70	46	20	160
	500g	240	180	-	40

www.weldrite.in
info@sindhucon.com
 +91 8655943618